



The World Is Yours...

Protect It!



Overview

Maxcam security was founded in 2005, as a subsidiary of Eurobyte Technology (PTY) LTD a well reputed Information Technology distributor in Southern Africa.

Maxcam provides security solutions for corporate, enterprise & small to medium businesses. Our core business includes, evidential security (I.e. solution Surveillance security) as well as preventative security systems (e.g. access control and safety solutions) for a wide variety of applications

Market Reach

Maxcam head quarters is based in Sandton Paulshof, and have branches, franchisees and service partners giving us a national footprint. This allows us to provide nationwide role outs and service agreements tailor made to suite your business needs....

Mission

Maxcam aims to consistently deliver on our promises, our dedication to providing quality user friendly solutions, at competitive prices, with superior service levels defines us as one of the industry leaders.

Maxcam's continual improvement strategy has allowed us to develop business processes with the aim of exceeding our customers' expectations and streamlining business for a better overall experience.

Vision

We firmly believe our people are our greatest asset, and we are as only as good as the people committed to Maxcam.

Our dedication to creating more efficient and effective business processes while focusing on maintaining customer satisfaction, profitability and a sustainable level of growth in the company sets us apart from the rest of the industry



Features

Day or Night Infrared Surveillance Camera: Color 420 Lines High Resolution weatherproof camera, with a 1/4" Sharp HQ CCD sensor automatically switching to B/W with infrared illumination in low light conditions. Excellent viewing up to 5 meters in total darkness. It does not get any better than this for a fully weatherproof camera than 420 lines of true color resolution

Specification

CCD Type:	Colour Sharp 1/4"
Lens:	3.6mm / 6mm / 8mm
Pixels: PAL:	500H x 582V
Horizontal Resolution:	420TVL
Minimum Illumination:	0 LUX
Video Output:	1.0Vp-p / 75?
AGC:	Auto
White Balance:	Auto
Backlight Compensation:	Auto
Exposure Mode:	Auto
Auto Iris Control:	Auto
IR View Distance:	5m
IR LED:	12PCS
Power Supply:	DC12V
Temperature:	-20C ~ 50C

EURMIR007 - 1/3" 420TVL 50m IR Vari Focal Bullet



Features

- External manual vari-focal water-proof camera
- 5mm to 50mm manual vari-focal lens
- Built-in 8pcs high-quality LED, IR distance up to 50m
- Integrated structure, suit for each low illum environment's monitor at indoor/outdoor

Specification

CCD Type	Colour Sony 1/3"
Focus	Manual
Lens	5-50mm
Pixels	PAL: 512H x 582V
Horizontal Resolution	420TVL
Minimum Illumination	0 LUX
Video Output	1.0Vp-p / 75
AGC	Auto
White Balance	Auto
Backlight Compensation	Auto
Exposure Mode	Auto
Auto Iris Control	Auto
IR View Distance	50m
IR LED	8PC
Power Supply	AC220V
Temperature	-20C ~ 50

KPC138ZBP - 3.6mm 1/3" 15m IR Bullet



Features

- High sensitivity in the dark environment, 0.4Lux / F2.0, 0Lux (IR ON)
- Day and night features for 24-hour surveillance
- Excellent image quality 420 lines
- IR LED effective range reaches up to 15 meters

Specification

MODEL	KPC138B
Pick up Element	1/3" color CCD image sensor
Number of Pixel	512(H) x 492(V) <NTSC> / 512(H) x 582(V) <PAL>
Resolution	Standard
Min. Illumination	0.4Lux / F2.0, 0Lux (IR ON)
IR LED	21 units
Effective Range	Up to 15 Meters
S/N Ratio	More than 48dB (AGC off)
Electronic Shutter	1/60 (1/50) to 1/100,000 sec.
Lens	f3.6mm / F2.0
Lens Angle	92.6°
IRIS Mode	AES
White Balance	ATW
Video Output	1.0 Vp-p composite, 75Ω
Power Source (±10%)	DC12V
Current Consumption (±10%)	90mA (IR OFF), 280mA (IR ON)
Dimensions (mm)**	140.19(L) x 55.2(W) x 79.58(H)

